



WhisperControl Condensation Sensor

FV-WCCS1-W, FV-WCCS1-A On/Off
FV-WCCS2-W, FV-WCCS2-A On/Off/Light



FV-WCCS1-W (white) – On/Off
 FV-WCCS2-W (white) – On/Off/Light

FV-WCCS1-A (almond) – On/Off
 FV-WCCS2-A (almond) – On/Off/Light



■ Condensation Sensor – 3 Controls in 1

Humidity Control – Automatically turns on exhaust fan to control humidity. Advanced sensor technology detects relative humidity and temperature for superior accuracy. Fan automatically turns off when the appropriate combination of temperature and humidity is reached, in all climate zones and for all seasons.

Countdown Timer – Manually turning the fan on initiates a 30 minute countdown cycle.

Manual On/Off Control – Simply push the switch for manual fan operation and if you've turned your fan off before the room has been adequately cleared of moisture, the condensation sensor makes sure your exhaust fan clears the air.

Additional Benefits

- Compatible with all Single Speed and/or Single Speed Lite ventilation products
- Stylish decorator design with wall plate included
- LED Indicator light
- 1 year limited warranty
- ASHRAE
- ENERGY STAR® Qualified
- LEED & CALGreen compliant

WhisperControl	FV-WCCS1-W	FV-WCCS1-A	FV-WCCS2-W	FV-WCCS2-A
Ground	Grounding	Grounding	Grounding	Grounding
Feature	Blue LED Light	Blue LED Light	Blue LED Light	Blue LED Light
Amperage	15 Amp	15 Amp	15 Amp	15 Amp
Maximum Fan Load	1/8 hp or 3 Amps	1/8 hp or 3 Amps	1/8 hp or 3 Amps	1/8 hp or 3 Amps
Voltage	120 Volts	120 Volts	120 Volts	120 Volts
Termination	6" Leads	6" Leads	6" Leads	6" Leads
Connections (Copper Wire Connections)	Use #14 or #12	Use #14 or #12	Use #14 or #12	Use #14 or #12
Max. Fluorescent Light Load	NA	NA	400 Watt	400 Watt
Color	White	Almond	White	Almond
Standard Certifications	UL/CSA Listed	UL/CSA Listed	UL/CSA Listed	UL/CSA Listed
Warranty	1 Year	1 Year	1 Year	1 Year



WhisperControl Switches

Panasonic WhisperControl Switches provide quality and performance to meet residential and commercial application needs. Available in single, double, triple, quad functions and preset count down timer to provide a complete Whisper package for all of our ventilation fans.

1 Function Control

On/Off Switch w/Pilot Light

— Ideal for Fan



FV-WCSW11-W (white)
FV-WCSW11-A (almond)

Features & Benefits

- Pilot light rocker visible when fan is ON, even in bright light
- Back and side wiring terminals accept both solid and stranded wire to ease installation

- Full-rated current capacity with fluorescent or resistive loads. Motor capacity is 80% of switch rating
- Includes matching wall plate
- Commercial Grade

Specifications	FV-WCSW11-W/A
Ground	Self Grounding
Feature	Pilot Light - Illuminated ON - Req. Neutral
Amperage	20 Amp
Voltage	120 Volt
HP Rating	1HP-120V
Terminations	Back & Side Wire
Standards & Certifications	UL/CSA Listed
Warranty	10 Year Limited

2 Function Control On/Off

— Ideal for Fan/Light



FV-WCSW21-W (white)
FV-WCSW21-A (almond)

Features & Benefits

- Multi-switch combination devices save space and add convenience
- Common feed shunted internally to all switches

- Elegant decorator styling provides multiple controls in a single-gang wall box
- Includes matching wall plate
- Commercial Grade

Specifications	FV-WCSW21-W/A
Ground	Grounding
Feature	Single Pole/ Single Pole
Amperage	15 Amp
Voltage	120 Volt
Termination	Quickwire Push-In, Back & Side Wire
Standards & Certifications	UL/CSA Listed
Warranty	2 Year Limited

3 Function Control On-Off

— Ideal for Fan/Light/Night-light



FV-WCSW31-W (white)
FV-WCSW31-A (almond)

Features & Benefits

- Multi-switch combination devices save space and add convenience
- Common feed shunted internally to all switches

- Elegant decorator styling provides multiple controls in a single-gang wall box
- Includes matching wall plate
- Commercial Grade

Specifications	FV-WCSW31-W/A
Ground	Grounding
Feature	Single Pole/ Single Pole/ Single Pole
Amperage	15 Amp
Voltage	120 Volt
Termination	Quickwire Push-In, Back & Side Wire
Standards & Certifications	UL/CSA Listed
Warranty	2 Year Limited

4 Function Control

Designed for model FV-11VHL2
Heat/Fan/Light/Night-Light



FV-WCSW41-W (white)

Features & Benefits

- Single pole/double throw on-off-on top switch, two single pole on-off switches
- Multi-switch combination devices save space and add convenience
- Common feed shunted internally to all switches

- Elegant decorator styling provides multiple controls in a single-gang wall box
- Includes matching wall plate
- Commercial Grade

Specifications	FV-WCSW41-W
Ground	Grounding
Feature	Single pole/double throw on-off-on top switch, two single pole on-off switches
Individual Switch Amperage	15 Amp
Total Switch Amperage	20 Amp
Voltage	120 Volt
Termination	Quickwire Push-In, Back & Side Wire
Standards & Certifications	UL/CSA
Warranty	2 Year Limited

Preset Count Down Delay Off Timer Switch

— Ideal for Panasonic's quiet fans to ensure you don't forget to shut them off



FV-WCD01-W (white)
FV-WCD01-A (almond)

Features & Benefits

- Timer switch has four preset button options; 10-20-30 or 60 minutes
- LED light indicates countdown time elapsed and last LED flashes two minutes until off warning
- Simple press-and-hold override timer function; allows you to hold down the button until LED light indicates it is on

- Multi-switch combination devices save space and add convenience
- Common feed shunted internally to all switches
- Elegant decorator styling provides multiple controls in a single-gang wall box
- Includes matching wall plate
- Commercial grade

Specifications	FV-WCD01-W/A
Ground	Grounding
Feature	Req. Neutral
Amperage	20 Amp
Voltage	120 Volt
HP Rating	1HP-120V
Termination	6" Leads
Standards & Certifications	UL/CSA Listed
Warranty	5 Year Limited



Cross Reference for Applicable Combination of WhisperControl to Product

	Model	FV-WCDO1-W/A	FV-WCSW11-W/A	FV-WCSW21-W/A	FV-WCSW31-W/A	FV-WCSW41-W/A
	Switch Type	Delay Off Timer	1 Function Control	2 Function Control	3 Function Control	4 Function Control
WhisperGreen	FV-05VK1 / 05VK3	X	X			
	FV-08VK1 / 08VK3	X	X			
	FV-13VK3	X	X			
	FV-08VKL1 / 08VKL3			X	X	
	FV-13VKL3			X	X	
	FV-08VKS2 / 08VKS3					
	FV-08VKM2 / 08VKM3					
	FV-13VKS2 / 13VKS3					
	FV-13VKM2 / 13VKM3					
	FV-08VKSL2 / 08VKSL3			X		
	FV-08VKML2 / 08VKML3			X		
FV-13VKSL3			X			
FV-13VKML3			X			
WhisperCeiling	FV-05VQ5	X	X			
	FV-08VQ5	X	X			
	FV-11VQ5	X	X			
	FV-15VQ5	X	X			
	FV-20VQ3	X	X			
	FV-30VQ3	X	X			
	FV-40VQ3	X	X			
	FV-08VQL5			X	X	
	FV-11VQL5			X	X	
FV-15VQL5			X	X		
WhisperSense	FV-08VQC5					
	FV-11VQC5					
	FV-08VQCL5			X		
	FV-11VQCL5			X		
WhisperFit	FV-05VF2	X	X			
	FV-08VF2	X	X			
	FV-11VF2	X	X			
	FV-05VFL2			X	X	
	FV-08VFL2			X	X	
	FV-11VFL2			X	X	
WhisperWelcome	FV-05VFM2					
	FV-08VFM2					
WhisperValue	FV-05VS1	X	X			
	FV-08VS1	X	X			
	FV-10VS1	X	X			
	FV-08VSL1			X	X	
	FV-10VSL1			X	X	
WhisperWall	FV-08WQ1	X	X			
WhisperWarm	FV-11VH2*	X*	X*			
	FV-11VHL2					X
WhisperLine	FV-10NLF1	X	X			
	FV-20NLF1	X	X			
	FV-30NLF1	X	X			
	FV-40NLF1	X	X			
WhisperComfort	FV-04VE1			X		

*Need 2 controls; one for heat and one for fan function

Panasonic Home and Environment Company

Division of Panasonic Corporation of North America
 One Panasonic Way
 Secaucus, NJ 07094
www.panasonic.com/building

Customer Service
 Panasonic Home and
 Environment Company
 5201 Tollview Road
 Rolling Meadow, IL 60008

For Distributor Order Information
 PHONE: 1- 866-292-7299
 FAX: 1-888-553-0723
ventfans@us.panasonic.com

